

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20060177333"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 13:59
L2	3	"2001073969"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:00
L3	32375	("MATSUSHITA ELECTRIC INDUSTRIAL").as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:02
L4	6	((ATSUSHI) near2 (SAKUDA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/06 14:04
L5	24	((KIYOSHI) near2 (SAWAI)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/06 14:05
L6	3	((TATSUYA) near2 (NAKAMOTO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/06 14:05
L7	17	((ATSUSHI) near2 (SAKUDA)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:04
L8	280	((KIYOSHI) near2 (SAWAI)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:05
L9	65	((TATSUYA) near2 (NAKAMOTO)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:05

EAST Search History

L10	32643	7 or 8 or 9 or 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:05
L11	47	10 and (rotation adj (preventing or constraint))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:55
L12	2	10 and bearing\$1 and inner and (outer near ring) and shaft and (seal\$3 adj material)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:11
L13	4	((roller or ball) adj bearing\$1) and (inner near ring) and (outer near ring) and shaft and (seal\$3 adj material) and (high adj pressure) and (low adj pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:18
L14	122	((roller or ball) adj bearing\$1) and (inner near ring) and (outer near ring) and shaft and (seal\$3) and (high adj pressure) and (low adj pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:54
L15	18	"3400989"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:35
L16	127	((roll\$3 or ball) adj bearing\$1) and (inner near ring) and (outer near ring) and shaft and (seal\$3) and (high adj pressure) and (low adj pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 15:00

EAST Search History

L17	4	16 and (rotation adj (preventing or constraint))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:55
L18	0	((air adj supply) and (stationary adj scroll) and (orbital adj scroll) and (rotation adj (preventing or constraint)) and (roll\$3 or ball) and bearing\$1 and (inner near ring) and (outer near ring) and shaft and (seal\$3) and (high adj pressure) and (bent with (low adj pressure))))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:59
L19	1210	(277/392,393,398,916).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 14:59
L20	1	19 and ((roll\$3 or ball) adj bearing\$1) and (inner near ring) and (outer near ring) and shaft and (seal\$3) and (high adj pressure) and (low adj pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 15:01
L21	984	(384/470,479,482,484).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 15:01
L22	2	21 and ((roll\$3 or ball) adj bearing\$1) and (inner near ring) and (outer near ring) and shaft and (seal\$3) and (high adj pressure) and (low adj pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/06 15:01